

## formulaF ESD

### TECHNICAL SPECIFICATION

Type:	knitted
Coating:	nitrile foam
Material:	blend of fibres with superior cut resistance
Cuff:	elastic
Weight:	light
Colour:	grey, black
Sizes:	6, 7, 8, 9, 10, 11



### PROPERTIES

Excellent tactile sensitivity, maximum comfort - ultra-comfortable knitted gloves with the highest cut resistance (level F). Their ergonomic shape reduces hand fatigue and the nitrile foam coating guarantees maximum grip in oily and dry conditions. Model with additional nitrile coating between index finger and thumb, that significantly increases the durability of the gloves. Lightweight, comfortable and stretchy, with the ESD F formula fit perfectly in the hand. Compatible with all touch screens, they provide anti-static protection in accordance with the EN 16350 standard. Thanks to the integrated Sanitized® hygiene function, they are protected against bacterial growth and unpleasant odours are reduced.

### APPLICATION

Work with glass, knives and sharp-edged sheets.



EN 16350:2014



EN 407:2020



X1XXXX

EN 407:2020 - Protection against thermal risks (heat and/or fire)

Limited Flame Spread	X
Contact Heat	1
Convective Heat	X
Radiant Heat	X
Small Splashes of Molten Metal	X
Large Quantities of Molten Metal	X

EN 388:2016+A1:2018



4X43F

EN 388:2016+A1:2018 - mechanical risk

Abrasion resistance	4
Blade cut resistance	X
Tear resistance	4
Puncture resistance	3
ISO 13997 TDM	F



EN ISO 21420:2020



PPE Regulation (EU) 2016/425 | This article contains the active biocidal substance: Zinc pyrithione  
 | EN 407:2020 - Protection against thermal risks (heat and/or fire) | EN 388:2016+A1:2018 - mechanical risk |  
 EN ISO 21420:2020- General requirements for protective gloves | EN 16350:2014 - Protective gloves - Electrostatic properties

**P.H.P.U. SEMEX Fertacz, Huszno Sp. J.**  
 ul. Jagiellońska 101/105,  
 42-202 Częstochowa, Poland  
 tel.: +48 34 39 06 735  
 e-mail: bhp@semex.pl  
 www.hfsafety.pl

**ODDZIAŁ KRAKÓW**  
 ul. Biskupińska 28, budynek X  
 30-732 Kraków  
 tel.: +48 12 390 46 00  
 e-mail: bhp.krakow@semex.pl  
 www.hfsafety.pl

